

ANNALS OF THE NEW YORK ACADEMY OF SCIENCES

Volume XLVIII, Art. 5 (Supplement). Pages i-vi

Editor

ROY WALDO MINER

Associate Editor

LOTHAR SALIN


FOLIC ACID

Supplement

THE SYNTHESIS OF PTEROYLGLUTAMIC ACID
(LIVER L. CASEI FACTOR) AND PTEROIC ACID—
PART II

By

M. E. HULTQUIST, ROBERT B. ANGIER, JAMES H. BOOTHE, DONNA
B. COSULICH, M. J. FAHRENBACH, BRIAN L. HUTCHINGS,
ERWIN KUH, JOHN H. MOWAT, E. H. NORTHEY,
DORIS R. SEEGER, JOSEPH SEMB, J. P. SICKELS,
JAMES M. SMITH, JR., E. L. R. STOKSTAD,
Y. SUBBAROW, AND COY W. WALLER



NEW YORK
PUBLISHED BY THE ACADEMY
OCTOBER 3, 1947

THE NEW YORK ACADEMY OF SCIENCES
(LYCEUM OF NATURAL HISTORY, 1817-1876)

OFFICERS, 1947

President: HARDEN F. TAYLOR

Vice-Presidents: ROBERT B. SOSMAN; ROSS F. NIGRELLI; S. STANSFELD
SARGENT; WALTER DYK; SERGE A. KORFF; BERNHARD HAURWITZ

Recording Secretary: GEORGE B. PEGRAM

Corresponding Secretary: ATHELSTAN F. SPILHAUS

Treasurer: MARVIN D. THORN

Librarian: VICTOR K. LAMER

Editor: ROY WALDO MINER

Elected Councilors:

1945-1947: RALPH H. CHENEY; ROBERT CUSHMAN MURPHY; HERBERT F. SCHWARZ

1946-1948: HANS T. CLARKE; CHARLES GLEN KING; HANS MOLITOR

1947-1949: WILLIAM BROWN BELL; HARRY A. CHARIPPER; CARYL P. HASKINS

Finance Committee: ADDISON WEBB (*Chairman*); WILLIAM OTIS SWEET; CHARLES N. FREY

OFFICERS OF SECTIONS

GEOLOGY AND MINERALOGY

Chairman: ROBERT B. SOSMAN. *Secretary:* ARTHUR N. STRAHLER

BIOLOGY

Chairman: ROSS F. NIGRELLI. *Secretary:* CHARLES R. SCHROEDER

PSYCHOLOGY

Chairman: S. STANSFELD SARGENT. *Secretary:* CLAIRETTE P. ARMSTRONG

ANTHROPOLOGY

Chairman: WALTER DYK. *Secretary:* CHARLES W. WAGLEY

PHYSICS AND CHEMISTRY

Chairman: SERGE A. KORFF. *Secretary:* J. J. BIKERMAN

OCEANOGRAPHY AND METEOROLOGY

Chairman: BERNHARD HAURWITZ. *Secretary:* JOHN C. ARMSTRONG

The Sections of Geology and Mineralogy, Biology, Psychology, and Anthropology meet in regular session on Monday evenings at 8:00 o'clock from October to May, inclusive. The Sections of Physics and Chemistry, and Oceanography and Meteorology hold two-day conferences at irregular periods. All meetings of the Academy are held at The American Museum of Natural History, Central Park West at 79th Street, New York 24, N. Y.

FOLIC ACID

Supplement*

SYNTHESIS OF PTEROYLGLUTAMIC ACID (LIVER L. CASEI FACTOR) AND PTEROIC ACID— PART II

By

M. E. HULTQUIST, ERWIN KUH, DONNA B. COSULICH, M. J.
FAHRENBACH, ^aE. H. NORTHEY, DORIS R. SEEGER, ^bJ. P.
SICKELS, AND JAMES M. SMITH, JR.†

AND

ROBERT B. ANGIER, JAMES H. BOOTHE, BRIAN L. HUTCHINGS, JOHN
H. MOWAT, JOSEPH SEMB, E. L. R. STOKSTAD, Y. SUBBAROW,
AND COY W. WALLER‡

* This paper was originally presented at a Conference on Folic Acid held by the Sections of Biology and Physics and Chemistry of The New York Academy of Sciences, May 29, 1946. It is here published as a supplement to the full monograph (Ann. N. Y. Acad. Sci., Vol. 48, Art. 5), in which the first paper on the same subject appeared on pages 283-288.

† Calco Chemical Division, American Cyanamid Company, Bound Brook, N. J. (^aPresent address: Stamford Research Laboratories, American Cyanamid Company, Stamford, Connecticut.)

^bPresent address: University of Miami, Coral Gables, Florida.)

‡ Lederle Laboratories Division, American Cyanamid Company, Pearl River, N. Y.
Publication made possible through a grant from Lederle Laboratories Division, American Cyanamid Company.

COPYRIGHT 1947

BY

THE NEW YORK ACADEMY OF SCIENCES

SYNTHESIS OF PTEROYLGLUTAMIC ACID (LIVER *L. CASEI* FACTOR) AND PTEROIC ACID— PART II

The method of synthesis of pteric acid derivatives to be presented here was suggested by descriptions in the literature of quaternary ammonium salts as alkylating agents. Snyder, Smith, and Stewart¹ describe the use of benzyltrimethylammonium salts and dimethylamino-methylindole (gramine) in the alkylation of malonic and similar esters to yield the corresponding C-benzyl derivatives or substituted esters of *beta*-(3-indole) propionic acid.

These and other workers later made use of this type of reaction in the preparation of synthetic *dl*-tryptophane.^{2, 3, 4}


The use of simple quaternary ammonium salts in the preparation of sulfur⁵ and oxygen⁶⁻¹¹ alkylated derivatives has also been described.

The use of a tertiary amine to alkylate another amine is reported by Howe, Zambito, Snyder, and Tishler.⁴ The effectiveness of pyridine as the tertiary base component of the quaternary ammonium salt, as an alkylating agent, was shown by Snyder and Speck.⁵

Our efforts were therefore directed at the preparation of a suitable pterin for the alkylation of *p*-aminobenzoylglutamic acid to obtain the desired pteroylglutamic acid. The successful use of 2,3-dibromopropionaldehyde in the synthesis, described in the previous paper, gave an indication of an intermediate which might be suitable. It was found that the addition of pyridine to a cooled solution of 2,3-dibromopropionaldehyde in ether gradually gave a precipitate of a crystalline quaternary salt. This same reaction could be carried out in somewhat lower yield in aqueous solution. The quaternary salt was filtered, or extracted from the ether layer with water, and the ether solution was discarded. The resulting water solution was then added to a solution of 2,4,5-triamino-6-hydroxypyrimidine dihydrochloride and potassium iodide in water.

The potassium iodide serves to precipitate the less soluble iodide salt. On standing overnight at room temperature, some separation of product occurred, and, on adjusting the pH to about 3.0, more crystalline


material and some brown, amorphous material separated. This crude material was purified by recrystallization from water, using activated charcoal as a decolorizing agent. The resulting purified N[(2-amino-4-hydroxy-6-pteridyl)-methyl]pyridinium iodide occurred as thin, lenticular crystals, often resembling those of pteroylglutamic acid itself. The analysis for nitrogen and iodine gave values corresponding to those expected for $C_{12}H_{11}IN_6O$.



Oxidation of this compound, N[(2-amino-4-hydroxy-6-pteridyl) methyl]pyridinium iodide, with hot, alkaline permanganate solution yielded the corresponding 2-amino-4-hydroxypteridine-6-carboxylic acid, which showed the substituted methyl group to be in the 6- position.

To prepare the pteroylglutamic acid, a mixture of N[(2-amino-4-hydroxy-6-pteridyl)methyl]pyridinium iodide, *p*-amino-benzoylglutamic acid, and sodium methylate in ethylene glycol solution was heated to about 140°C . for three hours.

This reaction mixture on dilution with water and acidification to pH 3.0-3.5 gave a product containing about 15 per cent of the biologically active material.



where $R = OH$, pteric acid



Purification of this material, as previously described, gave a product having the physical and biological properties described in a previous publication.¹²

By the use of *p*-aminobenzoic acid in place of *p*-amino-benzoylglutamic acid, a compound was obtained which was active for *Streptococcus faecalis* R but inactive for *Lactobacillus casei* and the chick.

REFERENCES

1. Snyder, H. R., C. W. Smith, & J. M. Stewart
1944. J. Am. Chem. Soc. 66: 200.
2. Snyder, H. R., & C. W. Smith
1944. Ibid. 66: 350.
3. Albertson, N. F., S. Archer, & C. M. Suter
1944. Ibid. 66: 500; 1945. 67: 36.

4. Howe, E. E., A. J. Zambito, H. R. Snyder, & M. Tishler
1945. Ibid. 67: 38.
5. Snyder, H. R., & J. C. Speck
1939. Ibid. 61: 668, 2895.
6. Baw, H.
1926. Quart. J. Indian Chem. Soc. 3: 101.
7. Tarbell, D. S., & J. R. Vaughan
1943. J. Am. Chem. Soc. 65: 231.
8. Willstatter, R.
1902. Ber. 35: 584.
9. Griess, P.
1873. Ibid. 6: 585; 1880. 13: 246.
10. Rodionov, V. M.
1926. Bull. Soc. chim. 39: 305; 1929. Ibid. 45: 109.
11. (C. H. Boehringer Sohn)
1910-1912. Frdl. 10: 1215; German Patent 247,180.
12. Angier, R. B., *et al.*
1945. Science 102: 227.

PUBLICATIONS
OF
THE NEW YORK ACADEMY OF SCIENCES
(LYCEUM OF NATURAL HISTORY, 1817-1876)

(1) The **Annals** (octavo series), established in 1823, contain the scientific contributions and reports of researches, together with the records of meetings of the Academy. The articles which comprise each volume are printed separately, each in its own cover, and are distributed immediately upon publication. The price of the separate articles depends upon their length and the number of illustrations, and may be ascertained upon application to the Executive Secretary of the Academy.

(2) The **Transactions**, reestablished as Series II in 1938, contain extended abstracts of papers presented before the regular sectional meetings of the Academy and other matters of general interest to Members, and are published monthly from November to June, inclusive.

Current numbers of the **Annals** and **Transactions** are sent free to all Members of the Academy desiring them.

(3) The **Special Publications**, established in 1939, are issued at irregular intervals as cloth-bound volumes. The price of each volume will be advertised at time of issue.

(4) The **Memoirs** (quarto series), established in 1895, are issued at irregular intervals. It is intended that each volume shall be devoted to monographs relating to some particular department of Science. Volume I, Part 1, is devoted to Astronomical Memoirs, Volume II to Zoological Memoirs. No more parts of the Memoirs have been published to date. The price is one dollar per part.

(5) The **Scientific Survey of Porto Rico and the Virgin Islands** (octavo series), established in 1919, gives the detailed reports of the anthropological, botanical, geological, paleontological, zoological, and meteorological surveys of these islands.

Subscriptions and inquiries concerning current and back numbers of any of the publications of the Academy should be addressed to

EXECUTIVE SECRETARY

The New York Academy of Sciences
Central Park West at Seventy-ninth Street
New York, N. Y.

